



## INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

<b>(51) International Patent Classification <sup>7</sup> :</b> <b>A23L 1/20, A23J 1/14, A23C 20/02</b>	<b>A1</b>	<b>(11) International Publication Number:</b> <b>WO 00/16642</b> <b>(43) International Publication Date:</b> 30 March 2000 (30.03.00)
<b>(21) International Application Number:</b> PCT/IT99/00301 <b>(22) International Filing Date:</b> 24 September 1999 (24.09.99) <b>(30) Priority Data:</b> MI98A002062      24 September 1998 (24.09.98)      IT <b>(71) Applicant (for all designated States except US):</b> I.G.R. S.A. [CH/CH]; Via Alle Vigne, 6, CH-6963 Pregassona (CH). <b>(72) Inventor; and</b> <b>(75) Inventor/Applicant (for US only):</b> MIGLIAVACCA, Rodolfo [IT/IT]; Via Zante, 15, I-20138 Milano (IT). <b>(74) Agent:</b> CICOGNA, Franco; Ufficio Internazionale Brevetti Dott. Prof. Franco Cicogna, Via Visconti di Modrone, 14/A, I-20122 Milano (IT).		<b>(81) Designated States:</b> AE, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, CA, CH, CN, CU, CZ, DE, DK, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MD, MG, MK, MN, MW, MX, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, UA, UG, US, UZ, VN, YU, ZA, ZW, ARIPO patent (GH, GM, KE, LS, MW, SD, SL, SZ, TZ, UG, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG).  <b>Published</b> <i>With international search report.</i> <i>Before the expiration of the time limit for amending the claims and to be republished in the event of the receipt of amendments.</i> <i>In English translation (filed in Italian).</i>
<b>(54) Title:</b> METHOD FOR MAKING SOY EXTRACTS  <b>(57) Abstract</b>  <p>The invention relates to a method for making soya extracts, which method is carried out by subjecting the soya seeds to the following method steps: hulling the seeds; softening the hulled seeds in water, boiling and crushing said seeds, centrifuging the seed "mass" to separate a filtrate and solid panel therefrom; fermenting the product followed by a first ultrafiltering of the fermented material and separating bitter peptides therefrom, and a second ultrafiltering for separating lecithin and pasteurizing the ultrafiltrate material; diversifying the product, by fermenting it with different fermenting materials, said fermenting materials being selected depending on the desired end product; and concentrating, at a low temperature and under a high vacuum, the product obtained from the preceding steps.</p>		

**FOR THE PURPOSES OF INFORMATION ONLY**

Codes used to identify States party to the PCT on the front pages of pamphlets publishing international applications under the PCT.

AL	Albania	ES	Spain	LS	Lesotho	SI	Slovenia
AM	Armenia	FI	Finland	LT	Lithuania	SK	Slovakia
AT	Austria	FR	France	LU	Luxembourg	SN	Senegal
AU	Australia	GA	Gabon	LV	Latvia	SZ	Swaziland
AZ	Azerbaijan	GB	United Kingdom	MC	Monaco	TD	Chad
BA	Bosnia and Herzegovina	GE	Georgia	MD	Republic of Moldova	TG	Togo
BB	Barbados	GH	Ghana	MG	Madagascar	TJ	Tajikistan
BE	Belgium	GN	Guinea	MK	The former Yugoslav Republic of Macedonia	TM	Turkmenistan
BF	Burkina Faso	GR	Greece	ML	Mali	TR	Turkey
BG	Bulgaria	HU	Hungary	MN	Mongolia	TT	Trinidad and Tobago
BJ	Benin	IE	Ireland	MR	Mauritania	UA	Ukraine
BR	Brazil	IL	Israel	MW	Malawi	UG	Uganda
BY	Belarus	IS	Iceland	MX	Mexico	US	United States of America
CA	Canada	IT	Italy	NE	Niger	UZ	Uzbekistan
CF	Central African Republic	JP	Japan	NL	Netherlands	VN	Viet Nam
CG	Congo	KE	Kenya	NO	Norway	YU	Yugoslavia
CH	Switzerland	KG	Kyrgyzstan	NZ	New Zealand	ZW	Zimbabwe
CI	Côte d'Ivoire	KP	Democratic People's Republic of Korea	PL	Poland		
CM	Cameroon	KR	Republic of Korea	PT	Portugal		
CN	China	KZ	Kazakstan	RO	Romania		
CU	Cuba	LC	Saint Lucia	RU	Russian Federation		
CZ	Czech Republic	LI	Liechtenstein	SD	Sudan		
DE	Germany	LK	Sri Lanka	SE	Sweden		
DK	Denmark	LR	Liberia	SG	Singapore		
EE	Estonia						

## Description

**METHOD FOR MAKING SOY EXTRACTS****BACKGROUND OF THE INVENTION**

The present invention relates to a method for making soya extracts.

More specifically, the present invention  
5 relates to a method allowing to make a concentrated soluble soya seed extract, having a light cream perfume, a neutral taste and devoid of any aftertastes.

As is known, an adult person must have a  
10 blood cholesterol rate within 200 mg/dl, for preventing infarcts and cardiovascular diseases.

Actually, scientific searches, carried out through the overall world, have demonstrated that by reducing the average cholesterol rates of a 1%  
15 population, a decrease of the infarct mortality rate of about 2% is obtained.

A consolidated scientific literature has demonstrated that a soya based feeding would reduce the excess cholesterol by 50-60% without any  
20 contraindications.

Accordingly, it would be very advantageous, from an adult person and child standpoint, to add to frequently used food such as creams, salamis, cheese, yoghurt, butter, cakes and the like as well as child  
25 snacks, ravioli and tortellini, cannelloni and pizzas, hamburgers and meat based product in general, as well as chocolates based products and many other gastronomic products usually containing great amounts

of unsaturated fat acids and cholesterol, a vegetable product, such as soya, which is a very efficient natural anticholesterol material.

In order to meet the above mentioned requirements, it has been already suggested to use, for said anticholesterol function, the soya milk, soya tofu as well as several types of soya proteins; however, these soya based materials would be unsuitable since these products are characterized by a strong aftertaste similar to that of an uncooked bean which would be inevitably transmitted to the product to which such an anticholesterol material would be added.

#### **SUMMARY OF THE INVENTION**

Accordingly, the aim of the present invention is to provide a method for making soluble concentrated soya extracts, having a light cream perfume, and a neutral taste, free of any aftertastes, thereby allowing said concentrated soya extracts to be added to a lot of high cholesterol contents food materials such as creams, cooked salamis, cooked ham, Parma ham, cheese, yoghurt, butter, fresh and dried pastas, ravioli and tortellini, cannelloni and pizzas, hamburgers and meat based products in general, as well as chocolate based products and many other gastronomic products, without modifying the natural taste of these products.

Within the scope of the above mentioned aim, a main object of the present invention is to provide such a method specifically designed for

making a concentrated soya extract having a light cream perfume, a neutral taste, devoid of any aftertastes, holding intact the health properties of the soya material, and without the need of performing  
5 complex processing steps.

Another object of the present invention is to provide such a method which is very reliable and safe in operation.

According to one aspect of the present  
10 invention, the above mentioned aim and objects, as well as yet other objects, which will become more apparent hereinafter, are achieved by a method for making water soluble soya extracts, characterized in that said method provides for subjecting soya seeds  
15 to the following operating steps:

A) hulling of the soya seeds; B) softening in water the hulled soya seeds and boiling and crushing said seeds; C) centrifuging the seed mass thereby separating a filtrate and a solid panel therefrom; D)  
20 fermenting the product followed by a first ultrafiltering of the fermented material, separating the bitter peptides therefrom, and further followed by a second ultrafiltering step for separating lecithin, and pasteurizing the ultrafiltered  
25 material; E) diversifying the obtained product by fermenting it with different fermenting materials, suitably selected depending on the end desired product; F) concentrating, under low temperature and high vacuum conditions, the product obtained by the  
30 preceding operating steps.

According to a preferred embodiment of the present invention, the product diversifying step is

carried out by fermenting said product by using  
Streptococcus lactis and Streptococcus thermophilus  
for 35 minutes at 34°C, with a grafting of 20% of  
lean milk in order to favour the fermenting of said  
5 product.

According to another preferred embodiment  
of the present invention, the product diversifying  
step is carried out by fermenting, with a recovery of  
lecithin, by Streptococcus reffinolactis at 30°C for  
10 45 minutes to provide a soya extract adapted to be  
mixed with a soft or hard wheat meal, to provide  
pastas either of the fresh or of a dried type.

According to a further preferred embodiment  
of the present invention, the product diversifying  
15 step is carried out by fermenting the product by  
Streptococcus thermophilus at 40°C for 45 minutes to  
provide a natural soya yoghurt.

According to yet another preferred  
embodiment of the present invention, the product  
20 diversifying step is performed by fermenting the  
product by acid-lactic Pediococcus at 40°C for 45  
minutes to provide a filtrate suitable for mixing  
with a fresh salami mixture to provide aged salami  
products.

25 According to yet another preferred  
embodiment of the present invention, said product  
diversifying step is carried out by fermenting the  
product by Lactobacillus fermentum at 37°C for 25  
minutes to provide an extract to be mixed with a  
30 fresh "mortadella" paste, to provide a mortadella  
like product, or with meat for cooked jam, to provide  
a cooked jam-like product.

**DETAILED DESCRIPTION OF THE INVENTION**

Further advantages and characteristics of the present invention will become more apparent thereafter from the following detailed description  
5 of a preferred embodiment of the method according to the invention, given by way of a not limitative example of several possible variations of the invention.

The method for making a concentrated soya  
10 extract, having a light cream perfume, and a neutral taste devoid of any aftertastes, according to the present invention, comprises a first step in which the soya seed material is loaded in a suitable volume silo, where the soya seeds, in particular yellow soya  
15 (Glycine Hispida) seeds are hulled by a continuously operating hulling device, with the simultaneous emptying of the silo.

A satisfactory hulling system would provide a soya seed hulling rate of about 8,000 kg of soya  
20 seeds in 4 working hours by 4 operators.

The soya seed hulling step is preferably carried out in a stainless steel 316 hulling device operating at room temperature; in this connection it should be pointed out that the soya seed hulling  
25 would also facilitate the softening and boiling of the hulled soya seeds, for removing therefrom any antitripsine factors.

The second operating step comprises the softening, boiling and crushing of the hulled soya  
30 seeds.

The softening time, in particular, will be of 10-12 hours in water at 4°C and it will vary

depending on the ageing degree of the soya seeds and their source, whereas the cooking will be performed at 110°C in a pressurized reactor for 15 minutes.

Then, the thus processed soya seed mass  
5 will be cooled by causing icy water to pass through the reactor gap to provide a temperature of about 30°C, as required for the third operating or processing step.

More specifically, for processing a feeding  
10 amount of 8,000 kg of dry soya seeds, the soya seed and necessary water loading time will be of 2 hours, while using 4 workers.

The third operating or processing step, in particular, comprises a centrifuging of the "mass"  
15 coming from a drying and powdering step in a conical mill oven in which operation the centrifuging apparatus waste, rich in fibers and particularly suitable for backed product will be also processed.

The centrifuging of a "mass" of about  
20 64,000 liters will be performed in a period of about 6 hours. The filtrate material will correspond to 60,000 liters, whereas the centrifuging step (wet) material will correspond to about 4,000 kg.

The fourth processing or operating step  
25 would comprise a first fermenting step at 30°C by using *Aspergillus oryzae* for 240 minutes, and ultrafiltering, at a preset cut-off the fermented product in order to remove some bitter peptides therefrom, and pasteurizing the ultrafiltered or  
30 ultrafiltrated material at 60°C for 60 minutes and cooling at a temperature deemed necessary for one of the different possible fermentations.



In this step two workers would be used, for the product amounts thereinabove indicated.

The fifth operating or processing step would be a diversifying step specifically provided  
5 for diversifying the end extract product thereby making it suitable for use to provide a lot of different finished or end products.

This step, in particular, comprises a fermenting operation which can be carried out by  
10 using different fermenting substances, depending on the use of the end extract.

For example, as stated, if the made extract must be mixed with a partially skimmed milk to provide a "crescenza"-like cheese, then the  
15 fermenting step will be carried out by using *Streptococcus lactis* and *Streptococcus thermophilus* at 34°C, while adding to the extract 20% of lean milk in order to favor the fermentation thereof.

The other above mentioned fermenting  
20 substances, as used in different proportions and combinations, will provide extracts which, upon concentrating, can be used for making any types of cheese, uncooked and cooked salamis, fresh and dried pastas, ice creams, cakes and the like, creams and  
25 saucers, chocolate based products, thereby each type of fermenting would provide a different type of end product.

More specifically, the following examples are hereinbelow considered:

30 fermenting, while recovering lecithin, by using *Streptococcus raffinolactis* at 30°C for 45 minutes to provide a soya extract suitable for mixing with soft

and hard wheat meal to provide fresh or dried pastas.

Fermenting by *Streptococcus thermophilus* at 40°C for 45 minutes to provide natural soya yoghurts.

5 Fermenting by acid-lactic *Pediococcus* at 40°C for 45 minutes to provide a filtrate adapted for mixing with a fresh salami paste, to provide aged salamis.

10 Fermenting by *Lactobacillus fermentum* at 37°C for 25 minutes to provide an extract to be mixed with a fresh mortadella paste to provide a mortadella-like product, or with meat to provide a cooked jam-like product.

15 The sixth operating or processing step comprises a low temperature and high vacuum concentration which would vary depending on each different types of concentrated extracts to be made.

The concentrating time will vary from two to six hours, by using two workers.

20 The seventh operating or processing step comprises a spray drier processing, necessary for making some products such as uncooked salamis, chocolate and the like.

25 The soya extract made by the above disclosed method has the great advantage that it is very soluble, as a light cream perfume, a neutral taste devoid of any aftertaste, thereby it can be easily hot and cold amalgamated or mixed with products such as butter, curd cream, salamis, cooked jam, yoghurt, milk and milk cream, pizza paste, fresh  
30 and dried pastas, cakes and pastries, tortellini and ravioli, hamburgers and so on.

Thus, the above mentioned food products

will be provided with the valuable and delicate organoleptic characteristics of the above disclosed concentrate filtrate, with its health properties, typical of the soya, with a great reduction, in the  
5 end products, of the saturated fats and cholesterol, up to 80-90% of the starting product, without any taste difference from a conventional like food product.

From the above disclosure it should be  
10 apparent that the invention fully achieves the intended aim and objects.

In particular, a method has been provided allowing to make a soluble product, devoid of any aftertaste and of neutral taste, having a pleasant  
15 cream perfume, which can be easily mixed with the most part of food products.

While the method of the invention has been disclosed and illustrated with reference to preferred embodiments thereof, it should be apparent that the  
20 disclosed embodiments are susceptible to several modifications and variations all of which will come within the spirit and scope of the invention as defined in the appended claims.

## CLAIMS

1. A method for making water soluble soya extracts, characterized in that said method provides  
5 for subjecting soya seeds to the following operating steps:

A) hulling of the soya seeds; B) softening in water the hulled soya seeds and boiling and crushing said seeds; C) centrifuging the seed mass thereby  
10 separating a filtrate and a solid panel therefrom; D) fermenting the product followed by a first ultrafiltering of the fermented material, separating the bitter peptides therefrom, and further followed by a second ultrafiltering step for separating  
15 lecithin, and pasteurizing the ultrafiltered material; E) diversifying the obtained product by fermenting it with different fermenting materials, suitably selected depending on the end desired product; F) concentrating, under low temperature and  
20 high vacuum conditions, the product obtained by the preceding operating steps.

2. A method for making soya extracts, according to Claim 1, characterized in that said  
25 hulling step is carried out in a stainless steel 316 hulling device operating at room temperature.

3. A method for making soya extracts, according to Claims 1 and 2, characterized in that said soya seed softening step B) is carried out by supplying to an autoclave distilled water at 4°C for  
30 a time from 10 to 12 hours, and bringing the obtained mixture to boiling at 110°C for 15 minutes.

4. A method for making soya extracts, according to one or more of the preceding claims, characterized in that said centrifuging step is carried out for centrifuging the water mixture after a suitable cooling thereof.

5. A method for making soya extracts, according to one or more of the preceding claims, characterized in that said step D) comprises a first fermenting at 30°C by *Aspergillus oryzae* for 240 minutes, a ultrafiltering of the fermented product, to remove some bitter peptides therefrom, a pasteurizing of the ultrafiltered material and a cooling to a temperature necessary for one of several possible fermentations.

6. A method for making soya extracts, according to Claim 5, characterized in that said ultrafiltering step is carried out by ultrafiltering at a preset cut-off with a separation of some bitter peptides.

7. A method for making soya extracts, according to Claim 5 or 6, characterized in that said ultrafiltered product pasteurizing step is carried out at 60°C for 60 minutes.

8. A method for making soya extracts, according to one or more of Claims 1 to 7, characterized in that said product diversifying step is carried out by fermenting said product by *Streptococcus lactis* and *Streptococcus thermophilus* for 35 minutes to provide a soya extract to be mixed with lean milk to provide a cheese-like product.

9. A method for making soya extracts, according to Claim 8, characterized in that said

fermenting by *Streptococcus lactis* and *Streptococcus thermophilus* is carried out at 34°C with an addition of 20% lean milk to promote said fermenting.

10. A method for making soya extracts,  
5 according to one or more of Claims 1 to 7, characterized in that said product diversifying step is carried out by fermenting, with a recovery of lecithin, by *Streptococcus raffinolactis* at 30°C for 45 minutes to provide a soya extract suitable for  
10 mixing with a soft or hard wheat meal to provide fresh or dried pastas.

11. A method for making soya extracts,  
according to one or more of Claims 1 to 7, characterized in that said product diversifying step  
15 is carried out by fermenting by *Streptococcus thermophilus* at 40°C for 45 minutes to provide natural soya yoghurt.

12. A method for making soya extracts,  
according to one or more of Claims 1 to 7,  
20 characterized in that said product diversifying step is carried out by fermenting by acid-lactic *Pediococcus* at 40°C for 45 minutes to provide a filtrate suitable for mixing with a fresh salami paste to provide aged salamis.

25 13. A method for making soya extracts, according to one or more of Claims 1 to 7, characterized in that said product diversifying step is carried out by fermenting by *Lactobacillus fermentum* at 37°C for 25 minutes to provide an  
30 extract suitable for mixing with a fresh mortadella paste to provide a mortadella-like food product, or with cooked jam meat to provide a cooked jam like

food product.

14. A method for making soya extracts,  
according to one or more of the preceding claims,  
characterized in that said method comprises a further  
5 spray dryer processing step.

15. A soya extracts made by a method  
according to one or more of the preceding claims.

# INTERNATIONAL SEARCH REPORT

International Application No

PCT/IT 99/00301

## A. CLASSIFICATION OF SUBJECT MATTER

IPC 7 A23L1/20 A23J1/14 A23C20/02

According to International Patent Classification (IPC) or to both national classification and IPC

## B. FIELDS SEARCHED

Minimum documentation searched (classification system followed by classification symbols)

IPC 7 A23L A23J A23C

Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched

Electronic data base consulted during the international search (name of data base and, where practical, search terms used)

## C. DOCUMENTS CONSIDERED TO BE RELEVANT

Category *	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
A	GB 2 087 897 A (FUELTEX OIL CHEMICAL INTERNATIONAL TRADERS SPA) 3 June 1982 (1982-06-03) ---	1, 15
A	EP 0 500 132 A (HERRMANN, MARTIN) 26 August 1992 (1992-08-26) claims 1,5,6,13 ---	1, 9, 11, 15
A	PATENT ABSTRACTS OF JAPAN vol. 014, no. 326 (C-0740), 12 July 1990 (1990-07-12) & JP 02 117357 A (MITSUBISHI RAYON CO LTD), 1 May 1990 (1990-05-01) abstract -----	

☐ Further documents are listed in the continuation of box C.



Patent family members are listed in annex.

### \* Special categories of cited documents :

"A" document defining the general state of the art which is not considered to be of particular relevance

"E" earlier document but published on or after the international filing date

"L" document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)

"O" document referring to an oral disclosure, use, exhibition or other means

"P" document published prior to the international filing date but later than the priority date claimed

"T" later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention

"X" document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone

"Y" document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art.

"&" document member of the same patent family

Date of the actual completion of the international search

29 February 2000

Date of mailing of the international search report

09/03/2000

Name and mailing address of the ISA

European Patent Office, P.B. 5818 Patentlaan 2  
NL - 2280 HV Rijswijk  
Tel. (+31-70) 340-2040, Tx. 31 651 epo nl,  
Fax: (+31-70) 340-3016

Authorized officer

Caturla Vicente, V



# INTERNATIONAL SEARCH REPORT

Information on patent family members

Interr. Application No

PCT/IT 99/00301

Patent document cited in search report	Publication date	Patent family member(s)	Publication date
GB 2087897 A	03-06-1982	IT 1134340 B DE 3144620 A FR 2494087 A	13-08-1986 15-07-1982 21-05-1982
EP 500132 A	26-08-1992	AT 142082 T DE 59207023 D	15-09-1996 10-10-1996
JP 02117357 A	01-05-1990	NONE	

**THIS PAGE BLANK (USPTO)**